

Study of an Exact Solution of Steady-State Thermoelastic problem of an Annular Disc

P.B. Gaikwad^{1*} and K.P. Ghadle²

¹Department of Mathematics, Dr. Babasaheb Ambedkar Marathwada University, Aurangabad (MS) INDIA.

²Department of Mathematics, Dr. Babasaheb Ambedkar Marathwada University, Aurangabad (MS) INDIA.

Corresponding Addresses:

*priyankagkwd4@gmail.com

Research Article

Abstract: In this paper, an attempt is made to determine the unknown temperature, displacement and stress functions on outer curved surface, where as third kind boundary condition maintained on upper surface and zero temperature is maintained on lower boundary surface. The governing heat conduction has been solved by using finite Hankel transform technique. The results are obtained in series form in term of Bessel's functions. The results for unknown displacements and stresses have been computed numerically.

Key words: Steady- state, Thermoelastic problem, Hankel transforms, Annular Disc.

Introduction:

During the second half of the twentieth century, non –isothermal problems of the theory of elasticity became increasingly important. This is due mainly to their many applications in diverse fields. First, the high velocity of modern aircrafts give rise to an aerodynamic heating, which produce intense thermal stresses reducing the strength of aircrafts structure.

Two dimensional transient problems for a thick annular disc in thermoelasticity studied by (Dange et al., 2009). An inverse temperature field of theory of thermal stresses investigated by (Grysa et al; 1981) while A note of quasi – static thermal stresses in steady state thick annular disc and an inverse quasi-static thermal stresses in thick annular disc are studied by (Gaikwad et al; 2010). An inverse problem of coupled thermal stress fields in a circular cylinder considered by (Noda; 1989).

In this paper, in the first problem, an attempt is made to determine the unknown temperature, displacement and stress functions on curved surfaces, where an arbitrary heat is applied on the upper surface ($z = h$) and maintained zero on lower surface ($z = - h$) while in second problem third kind boundary condition is maintained on lower and upper surface of an annular disc. The governing heat conduction equation has been solved by using Hankel transform technique. The results are obtained in series form in terms of Bessel's functions and illustrated numerically.

*2000 Mathematics Subject Classifications: primary 35A25, secondary 74M99, 74K20.

This paper contains new and novel contribution of thermal stresses in an annular disc under steady state. The above results were obtained under steady state field. The result presented here are useful in engineering problem particularly in the determination of the state of strain in an annular disc constituting foundations of containers for hard gases or liquids, in the foundations for furnaces etc.

2. Results Required:

The finite Hankel transform over the variable r and it inverse transform defined in [7].

$$\bar{T}(\xi_n, z) = \int_b^a r K_0(\xi_n, r) T(r, z) dr \quad (2.1)$$

$$T(r, z) = \sum_{n=1}^{\infty} \bar{T}(\xi_n, z) K_0(\xi_n, r) dr \quad (2.2)$$

where

$$K_0(\xi_n, r) = \frac{R_0(\xi_n, r)}{\sqrt{N}} \quad (2.3)$$

$$R_0(\xi_n, r) = \frac{J_0(\xi_n r)}{\xi_n J_1(\xi_n b)} - \frac{Y_0(\xi_n r)}{\xi_n Y_1(\xi_n b)} \quad (2.4)$$

The normality constant

$$N = \frac{b^2}{2} R_0^2(\xi_n, b) - \frac{b^2}{2} R_0^2(\xi_n, a) \quad (2.5)$$

and ξ_1, ξ_2, \dots are the roots transcendental equation,

$$\frac{J_1(\xi a)}{J_1(\xi b)} - \frac{Y_1(\xi a)}{Y_1(\xi b)} = 0$$

(2.6)

$J_n(x)$ is Bessel function of the first kind of the order n and $Y_n(x)$ Bessel function of the second kind of the order n .

3. Formulation of the Problem:

Consider an annular disc of thickness $2h$ occupying space $D: a \leq r \leq b, -h \leq z \leq h$.

The differential equation governing the displacement potential function is given in [7] as,

$$\nabla^2 U = (1 + \nu) a_t T$$

(3.1)

with $U = 0$ at $r = a$ and

$$r = b \quad (3.2)$$

here $\nabla^2 = \frac{\partial^2}{\partial r^2} + \frac{1}{r} \frac{\partial}{\partial r}$

ν and a_t are the poisson's ratio and the linear coefficient of thermal expansion of the material of the plate and T is the temperature of the plate satisfying the differential equation

$$\frac{\partial^2 T}{\partial r^2} + \frac{1}{r} \frac{\partial T}{\partial r} + \frac{\partial^2 T}{\partial z^2} = 0$$

(3.3)

Subject to the boundary conditions

$$\frac{\partial T}{\partial r} = g(r) \quad \text{at } r = a, -h \leq z \leq h$$

(3.4)

$$\frac{\partial T}{\partial z} + k_1 T = f(r) \quad \text{at } z = h, a \leq r \leq b$$

(3.5)

$$\frac{\partial T}{\partial z} + k_1 T = 0 \quad \text{at } z = -h, a \leq r \leq b$$

(3.6)

The stress functions σ_{rr} and $\sigma_{\theta\theta}$ are given by,

$$\sigma_{rr} = -2\mu \frac{1}{r} \frac{\partial U}{\partial r} \quad (3.7)$$

$$\sigma_{\theta\theta} = -2\mu \frac{\partial^2 U}{\partial r^2} \quad (3.8)$$

where μ is the Lamé's constant, while each of the stress functions σ_{rz}, σ_{zz} and $\sigma_{\theta z}$ are zero within the plate in the plane state of stress. The equations (3.1) to (3.8) constitute the mathematical formulation of the problem under consideration.

4. Solution of the Problem:

Applying finite Hankel transform defined in [6] to the equations (3.1) to Eq. (3.6), one

obtain
$$\frac{d^2 \bar{T}}{dz^2} - \xi_n^2 \bar{T} = 0$$

(4.1)

where \bar{T} is the Hankel transform of T .

On solving Eq. (4.1) under the conditions given in Eq. (3.5) and Eq. (3.6), one obtains

$$\bar{T} = \sum_{n=1}^{\infty} \bar{f}(\xi_n) \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n (k_1 + k_2) \cosh(2\xi_n h)} \right]$$

(4.2)

On applying the inverse Hankel transform defied in Eq. (2.2) to Eq. (4.2), one obtain the expression for the temperature as

$$T(r, z) = \sum_{n=1}^{\infty} \frac{\bar{f}(\xi_n)}{\sqrt{N}} \left(\frac{J_0(\xi_n r)}{J_1(\xi_n b)} - \frac{Y_0(\xi_n r)}{Y_1(\xi_n b)} \right) \times \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n(k_1 + k_2) \cosh(2\xi_n h)} \right] \quad (4.3)$$

$$g(r) = - \sum_{n=1}^{\infty} \frac{\bar{f}(\xi_n) \xi_n}{\sqrt{N}} \left(\frac{J_0(\xi_n a)}{J_1(\xi_n b)} - \frac{Y_0(\xi_n a)}{Y_1(\xi_n b)} \right) \times \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n(k_1 + k_2) \cosh(2\xi_n h)} \right] \quad (4.4)$$

where

$$\bar{f}(\xi_n) = \int_a^b f(r) r K_0(\xi_n, r) dr \quad (4.5)$$

Equation (4.3) and (4.4) are the desired solution of the given problem.

Determination of Thermoelastic Displacements:

Substituting the values of T(r, z) from Eq. (4.3) in Eq. (3.1) one obtains the thermoelastic displacement function U(r, z) as,

$$U(r, z) = -(1+\nu) a_t \sum_{n=1}^{\infty} \left(\frac{\bar{f}(\xi_n)}{\xi_n^2 \sqrt{N}} \right) \left(\frac{J_0(\xi_n r)}{J_1(\xi_n b)} - \frac{Y_0(\xi_n r)}{Y_1(\xi_n b)} \right) \times \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n(k_1 + k_2) \cosh(2\xi_n h)} \right] \quad (4.6)$$

Determination of Stresses Functions:

Using Eq. (4.6) in Eq. (3.7) and (3.8), one obtains the stress functions σ_{rr} and $\sigma_{\theta\theta}$ as,

$$\sigma_{rr} = - \frac{2\mu}{r} (1+\nu) a_t \sum_{n=1}^{\infty} \left(\frac{\bar{f}(\xi_n)}{\xi_n \sqrt{N}} \right) \left(\frac{J_1(\xi_n r)}{J_1(\xi_n b)} - \frac{Y_1(\xi_n r)}{Y_1(\xi_n b)} \right) \times \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n(k_1 + k_2) \cosh(2\xi_n h)} \right] \quad (4.7)$$

$$\sigma_{\theta\theta} = -2\mu(1+\nu) a_t \sum_{n=1}^{\infty} \left(\frac{\bar{f}(\xi_n)}{\sqrt{N}} \right) \left(\frac{J_1'(\xi_n r)}{J_1(\xi_n b)} - \frac{Y_1'(\xi_n r)}{Y_1(\xi_n b)} \right) \times \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n(k_1 + k_2) \cosh(2\xi_n h)} \right] \quad (4.8)$$

Special Case and Numerical Calculations:

Set $f(r) = e^h (r^2 - a^2)^2, \alpha = -\frac{1}{8a}$ in (4.4)

one obtains

$$\frac{g(r)}{\alpha} = \sum_{n=1}^{\infty} \left[\frac{(8 - a^2 \xi_n^2) \xi_n J_1(\xi_n) - 4a \xi_n J_0(\xi_n a)}{\xi_n^2 \sqrt{N}} \right] \left(\frac{J_1(\xi_n a)}{J_1(\xi_n b)} - \frac{Y_1(\xi_n a)}{Y_1(\xi_n b)} \right) \times \left[\frac{\xi_n \cosh[\xi_n(z+h)] + k_2 \sinh[\xi_n(z+h)]}{(\xi_n^2 + k_1 k_2) \sinh(2\xi_n h) + \xi_n(k_1 + k_2) \cosh(2\xi_n h)} \right] \quad (4.9)$$

The numerical calculation have been carried out for steel (SN 50 C) plate with parameters $a = 1m, b = 1m, h = 0.5m$, thermal diffusivity $k = 15.9 \times 10^{-6} (m^2 s^{-1})$ and poissons ratio $\nu = 0.281$, while $\xi_1 = 3.1965, \xi_2 = 6.3132, \xi_3 = 9.4445, \xi_4 = 12.5812, \xi_5 = 12.7199$

,being the positive roots of transcendental equation $\left(\frac{J_1(\xi_n r)}{J_1(\xi_n b)} - \frac{Y_1(\xi_n r)}{Y_1(\xi_n b)} \right) = 0$ as in [6].

Concluding Remarks:

In this paper, we have discussed the steady – state thermoelastic problem for an annular disc on outer curved surface of the annular disc, whereas arbitrary heat is applied on the upper surface and zero temperature is maintained on lower surface.

The finite Hankel transform transform technique is used to obtain the numerical results. The thermoelastic behavior is examined such as unknown temperature, displacement and stresses that are obtained can be applied to the design of useful structures or in engineering applications. Also any particular

case of special interest can be derived by assigning suitable values to the parameters and functions in the expressions [4.3], [4.4], [4.6]-[4.9].

References:

- [1] Dange, W.K., Khobraade, N.W., and Varghese, V., Two dimensional transient problems for a thick annular disc in thermoelasticity. *Far East Journal of Applied Mathematics*, Vol.43, 205-219, 2009.
- [2] Grysa, K., Cialkowski, M. J and Kaminski H., An inverse temperature field of theory of thermal stresses. *NUCL. Eng. Des.* Vol.64. 161-184, 1981.
- [3] Gaikwad K.R., Ghadle K.P., A note of Quasi-Static Thermal Stresses in Steady State Thick Annular Disc. *Acta Ciencia Indica*, Vol. XXXVI M, No.3, 385, 2010.
- [4] Gaikwad K.R., Ghadle K.P., An Inverse Quasi-Static Thermal Stresses in Thick Annular Disc., *International Journal of Applied Mathematics & Statistics*. Vol.19. D10, 2010.
- [5] Nowacki, W., *Thermoelasticity* Mass. Addition-Wesley Publication Co. Chapter-1, 1962.
- [6] Ozisik N.M., Boundary value problem of Heat Conduction, *International text book*, Comp. Scranten, Pennsylvania, pp.481-492, 1968.
- [7] Sneddon, I.N., *The use of integral transform*, McGraw Hill, New York, 235-238, 1972.
- [8] Noda, N., An inverse problem of coupled thermal stress fields in a circular cylinder, *JSME, International Journal*, Ser.A.32, pp.791-797, 1989.